Table 11.5: Spirometry Interpretation by National Institute for Occupational Safety and Health (NIOSH)  $(Percent)^{1,2}$ 

		Age Group			Disability Level		
						ADL Difficulty	
Test Result <sup>3</sup>	Total (N=639)	65-74 (N=260)	75-84 (N=195)	85+ (N=184)	Moderate <sup>4</sup> (N=225)	Receives No Help (N=319)	Receives Help (N=95)
Normal pattern	51.6	54.4	46.3	57.3	48.6	55.0	47.6
Obstructive pattern Mild Moderate or severe	11.5 7.2	12.7 7.5	13.0 7.6	4.1 5.1	15.1 8.8	10.0 7.7	8.0 1.3
Restrictive pattern Mild Moderate or severe	7.7 13.2	4.1 11.6	11.6 12.4	8.6 20.0	6.1 11.7	9.0 8.7	7.7 31.7
Obstructive and restrictive Mild Mild obstructive/moderate to severe restrictive	0.4	0.4	0.6	0.2	1.1 2.0	0.1 3.1	0.0
Mild restrictive/moderate to severe obstructive Moderate to severe	2.4 2.2 3.8	2.7 4.8	1.1 3.9	3.4 0.6	1.5 5.2	2.5 4.0	2.6 0.0

(Women's Health and Aging Study, physical assessment, 1992-1995)

<sup>&</sup>lt;sup>1</sup> All variables have less than 1% missing data. Results are based on non-missing data. Descriptive statistics are based on weighted data.

<sup>2</sup> Categories may not add up to 100% due to rounding.

<sup>4</sup> No ADL difficulty; disabled in two or more domains (see Chapter 1).